- CA



#### **BARRIER FLUID 22P**

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

#### **SECTION 1. IDENTIFICATION**

Product name : BARRIER FLUID 22P

Article-No. : 340407

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP

9010 County Road 2120 Tyler, Texas 75707

Tyler, Texas 757

USA

Phone: +1 903 534-8021 Fax: +1 903 581-4376

32 Industrial Drive Londonderry, NH 03053

**USA** 

Phone: +1 603 647-4104 Fax: +1 603 647-4106

E-mail address of person

responsible for the SDS

mcm@us.kluber.com

Material Compliance Management

Emergency telephone

number

: +1-517-545-7070 NCEC

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

**GHS** label elements

Hazard pictograms

Signal word : Warning

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Hazard statements : Suspected of damaging fertility.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Mineral oil.

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Mineral Oil**	Mineral Oil	Proprietary**	Trade secret** (>= 80 - <= 100 *)
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpenten e	68411-46-1	Trade secret** (>= 0.1 - < 1 *)

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Obtain medical attention.

<sup>\*\*</sup> See Section 15 for HMIRA information.

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

In case of contact, immediately flush skin with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do NOT induce vomiting. Rinse mouth with water.

Most important symptoms and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Further information : Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.





**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Conditions for safe storage : Store in original container.

Keep container closed when not in use.

Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Mineral Oil	Proprietary	TWA (Mist)	5 mg/m3	CA AB OEL (2009-04-30)
		STEL (Mist)	10 mg/m3	CA AB OEL (2009-04-30)
		TWAEV (Mist)	5 mg/m3	CA QC OEL (2012-11-28)
		STEV (Mist)	10 mg/m3	CA QC OEL (2012-11-28)
		TWA (Mist)	1 mg/m3	CA BC OEL (2012-04-20)
		TWA (Mist)	1 mg/m3	CA BC OEL



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

			(2021-01-04)
	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

Engineering measures : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : solvent-like

Odour Threshold : No data available

# SAFETY DATA SHEET - CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point :  $>= 185 \, ^{\circ}\text{C}$ 

Method: open cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.847 (20 °C)

Reference substance: Water The value is calculated

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 22 mm2/s (40 °C)

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

#### **Components:**

Mineral Oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

**Mineral Oil:** 

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

Mineral Oil:

Species : Rabbit

Result : No eye irritation

Exposure time : 48 h

Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

- CA



**BARRIER FLUID 22P** 

 Version
 Revision Date:
 Date of last issue: 2021-10-20
 Print Date:

 2.0
 2022-09-19
 Date of first issue: 2021-10-20
 2022-09-20

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

Components:

**Mineral Oil:** 

Test Type : Buehler Test Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Mineral Oil:

Germ cell mutagenicity - : Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

**Components:** 

Mineral Oil:

Carcinogenicity - Assessment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

**Components:** 

Mineral Oil:

Reproductive toxicity -

: - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity -

: - Fertility -

Assessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

Mineral Oil:

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

the toxicology of similar products.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:** 

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

- CA



**BARRIER FLUID 22P** 

 Version
 Revision Date:
 Date of last issue: 2021-10-20
 Print Date:

 2.0
 2022-09-19
 Date of first issue: 2021-10-20
 2022-09-20

Physico-chemical

removability

Remarks: No data available

Components:

**Mineral Oil:** 

Biodegradability : Result: not rapidly degradable

Biodegradation: 31 % Exposure time: 28 d

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

Mineral Oil:

Partition coefficient: n-

Pow: > 6

octanol/water

Remarks: Information given is based on data obtained from

similar substances.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-

octanol/water

: log Pow: > 5

Mobility in soil

**Product:** 

Mobility : Remarks: No data available

- CA



**BARRIER FLUID 22P** 

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Distribution among : Remarks: No data available

environmental compartments

Other adverse effects

Product:

Additional ecological

information

No information on ecology is available.

**Components:** 

Mineral Oil:

Results of PBT and vPvB

assessment

Non-classified PBT substance Non-classified vPvB substance

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

TDG

Not regulated as a dangerous good

- CA



#### **BARRIER FLUID 22P**

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

NPRI Components : Canadian National Pollutant Release Inventory (NPRI): No

component is listed on NPRI.

**Canadian lists** 

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National



#### **BARRIER FLUID 22P**

VersionRevision Date:Date of last issue: 2021-10-20Print Date:2.02022-09-19Date of first issue: 2021-10-202022-09-20

Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 2022-09-19 Date format : mm/dd/yyyy

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.