According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



Print Date:

**MultiPump SPO-100** 

Version Revision Date: Date of last issue: -

1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : MultiPump SPO-100

Article-No. : 340571

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Lubricating oil

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication NA LP

9010 County Road 2120 Tyler, Texas 75707

USA

Phone: +1 903 534-8021 Fax: +1 903 581-4376

32 Industrial Drive Londonderry, NH 03053

USA

Phone: +1 603 647-4104 Fax: +1 603 647-4106

E-mail address of person : mcm@us.kluber.com

responsible for the SDS Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone : +49 89 7876 700 (24 hrs)

number

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

## **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt,

with 1-octanethiol and hydrogen peroxide; Polysulfides, di-tert-dodecyl. May

produce an allergic reaction.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

ester oil Mineral oil.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8 265-158-7 649-468-00-3	Asp. Tox.1; H304	Note L	>= 1 - < 10
Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide	948-020-7	Acute Tox.4; H332 Skin Irrit.2; H315 Skin Sens.1; H317 Aquatic Chronic4; H413		>= 0.1 - < 0.25



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

Polysulfides, di-tert-	68425-15-0	Skin Sens.1B;	>= 0.1 - < 1
dodecyl	270-335-7	H317	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

with the doctor responsible for industrial medicine.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



# MultiPump SPO-100

Version **Revision Date:** Date of last issue: -

Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling Do not breathe vapours or spray mist.

> Avoid contact with skin and eyes. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures Wash face, hands and any exposed skin thoroughly after

handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL):** 



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2.7 mg/m3
	Workers	Inhalation	Long-term local effects	5.6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide	Workers	Inhalation	Long-term systemic effects	5.43 mg/m3
	Workers	Dermal	Long-term systemic effects	1.54 mg/kg bw/day

#### **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated light paraffinic;	Oral	9.33 mg/kg
Baseoil — unspecified		

## 8.2 Exposure controls

# **Engineering measures**

none

## Personal protective equipment

Eye/face protection : Safety glasses with side-shields

Hand protection

Remarks : Protective gloves The choice of an appropriate glove does

not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** Date of last issue: -

Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

at the specific workplace.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance liquid

Colour yellow

Odour sulphurous

Odour Threshold No data available

pΗ Not applicable

substance/mixture is non-soluble (in water)

Melting point/range No data available

Boiling point/boiling range No data available

>= 204 °C Flash point

Method: open cup

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure < 0.001 hPa (20 °C)

Relative vapour density No data available

Relative density 0.854 (20 °C)

Reference substance: Water The value is calculated

Density 0.85 g/cm3

(20 °C)

**Bulk density** No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** 

Date of last issue: -Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

Solubility(ies)

Water solubility insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic No data available

96 mm2/s (40 °C) Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties No data available

9.2 Other information

Sublimation point No data available

Self-ignition No data available

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid No materials to be especially mentioned.

# 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



# **MultiPump SPO-100**

Version **Revision Date:** Date of last issue: -

Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

: Remarks: This information is not available. Acute inhalation toxicity

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Polysulfides, di-tert-dodecyl:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** Date of last issue: -Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

**Product:** 

This information is not available. Remarks

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

**Species** Rabbit

No skin irritation Assessment Result No skin irritation

**GLP** yes

Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and

hydrogen peroxide:

**Species** Rabbit

Assessment Irritating to skin. Result Irritating to skin.

Polysulfides, di-tert-dodecyl:

**Species** Rabbit

Result Mild skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks This information is not available.

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

**Species** Rabbit Exposure time 48 h

Assessment No eye irritation

Method **OECD Test Guideline 405** 

Result No eye irritation

**GLP** yes

Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide:

**Species** Rabbit

Assessment No eye irritation Result No eye irritation



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Test Type : Buehler Test Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : no

Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and

hydrogen peroxide:

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

Polysulfides, di-tert-dodecyl:

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Germ cell mutagenicity: Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** 

05.06.2023 Date of first issue: 05.06.2023

Date of last issue: -

Print Date: 05.06.2023

Assessment

1.0

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Reproductive toxicity -

: - Fertility -Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

STOT - single exposure

**Product:** 

Remarks : No data available

STOT - repeated exposure

**Product:** 

Remarks : No data available

Repeated dose toxicity

**Product:** 

Remarks This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



Print Date:

**MultiPump SPO-100** 

Version **Revision Date:** Date of last issue: -

05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

the toxicology of similar products.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## 12.2 Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical

removability

Remarks: No data available

# 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

# 12.4 Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** Date of last issue: -Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Other adverse effects

#### **Product:**

**Endocrine disrupting** 

potential

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

: No information on ecology is available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code unused product

13 02 05\*, mineral-based non-chlorinated engine, gear and

lubricating oils

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated

by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

**ADR** : Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



MultiPump SPO-100

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

RID : Not regulated as a dangerous goodIMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version **Revision Date:** Date of last issue: -Print Date: 05.06.2023 Date of first issue: 05.06.2023 05.06.2023 1.0

(EC 1005/2009)

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

(UK. REACH Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

(GB PIC)

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds

emissions (integrated pollution prevention and control)

: Not applicable

Not applicable

## 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of R-Phrases**

Note L The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of

dimethyl sulphoxide extract as measured by IP 346

("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in

accordance with Title II of this Regulation shall be performed

also for that hazard class.

**Full text of H-Statements** 

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

May cause an allergic skin reaction. H317

H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

: The harmonised classification as a carcinogen applies unless Note L

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



**MultiPump SPO-100** 

Version Revision Date: Date of last issue: - Print Date: 1.0 05.06.2023 Date of first issue: 05.06.2023 05.06.2023

other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.