according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



PS-300)			
Version	Revision Date:		e of last issue: -	Print Date:
1.0	27.03.2023	Dat	e of first issue: 27.03.2023	27.03.2023
SECTIO	N 1. PRODUCT AND CO	OMP	ANY IDENTIFICATION	
Pro	duct name	:	PS-300	
Arti	cle-No.	:	340476	
Mai	nufacturer or supplier's	s deta	ails	
Cor	npany name of supplier	:	Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 USA Phone: +1 903 534-8021 Fax: +1 903 581-4376 32 Industrial Drive Londonderry, NH 03053	
			USA Phone: +1 603 647-4104 Fax: +1 603 647-4106	
	nail address of person consible for the SDS	:	mcm@us.kluber.com Material Compliance Management	
	ergency telephone nber	:	+52 442 2295708 (24hrs)	
	commended use of the commended use	chen :	nical and restrictions on use Lubricating oil	

SECTION 2. HAZARDS IDENTIFICATION

Restrictions on use

GHS Classification Reproductive toxicity	:	Category 2
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3

GHS label elements



: Restricted to professional users.

according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



S-300			
ersion 0	Revision Date: 27.03.2023	Date of last issue: - Date of first issue: 27.03.2023	Print Date: 27.03.2023
Hazaı	rd pictograms		
Signa	l word	: Warning	
Hazard statements		: H361f Suspected of damaging H412 Harmful to aquatic life wi	
Preca	utionary statements	and understood. P273 Avoid release to the envi	fety precautions have been read
		Response: P308 + P313 IF exposed or co attention.	ncerned: Get medical advice/
		Storage: P405 Store locked up.	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture	:	Mixture	

Chemical nature : Mineral oil. ester oil

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy	64742-54-7	>= 70 -< 90
paraffinic		
Benzenamine, N-phenyl-, reaction products	68411-46-1	>= 0.25 -< 1
with 2,4,4-trimethylpentene		

SECTION 4. FIRST AID MEASURES

If inhaled

Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention.



PS-300

according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



Version 1.0	Revision Date: 27.03.2023		e of last issue: - e of first issue: 27.03.2023	Print Date: 27.03.2023
			Keep patient warm and at rest. If unconscious, place in recovery positio advice. Keep respiratory tract clear. If breathing is irregular or stopped, admi respiration.	
In ca	se of skin contact	:	Take off all contaminated clothing imme Get medical attention immediately if irrita persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of wate	ation develops and
In ca	se of eye contact	:	Rinse immediately with plenty of water, a for at least 10 minutes. If eye irritation persists, consult a specia	
lf sw	allowed	:	Move the victim to fresh air. If unconscious, place in recovery positio advice. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Never give anything by mouth to an unc	
	t important symptoms effects, both acute and yed	:	No information available. None known.	
Note	s to physician	:	No information available.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



PS-300			
Version 1.0	Revision Date: 27.03.2023	Date of last issue: - Date of first issue: 27.03.2023	Print Date: 27.03.2023

Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations.



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-300

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	27.03.2023	Date of first issue: 27.03.2023	27.03.2023

Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	VLE-PPT (Mist)	5 mg/m3	NOM-010- STPS-2014 (2014-06-19)
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

Engineering measures	:	Handle only in a place equipped with local exhaust (or other
		appropriate exhaust).

Personal protective equipment

Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type A-P
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



PS-300

Versio	on Revision 27.03.2			of last issue: - of first issue: 27.03.2023	Print Date: 27.03.2023
Δ	Appearance		:	liquid	
C	Colour		:	colourless	
C	Ddour		:	characteristic	
C	Ddour Threshol	ld	:	No data available	
p	н		:	Not applicable	
Ν	/lelting point/ra	nge	:	No data available	
E	Boiling point/bo	iling range	:	No data available	
F	lash point		:	> 270 °C	
				Method: open cup	
E	Evaporation rate	е	:	No data available	
F	lammability (se	olid, gas)	:	Not applicable	
S	Self-ignition		:	No data available	
	Jpper explosior lammability lim		:	No data available	
	ower explosior lammability lim		:	No data available	
V	/apour pressur	e	:	< 0.001 hPa (20 °C)	
F	Relative vapour	density	:	No data available	
F	Relative density	/	:	0.878 (20 °C) Reference substance: Water The value is calculated	
E	Bulk density		:	No data available	
S	Solubility(ies) Water solubi	ility	:	insoluble	
	Solubility in o	other solvents	6 :	No data available	



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-300

Vers 1.0	ion Revision Date: 27.03.2023	Date of last issue: - Date of first issue: 27.03.2023	Print Date: 27.03.2023
	Partition coefficient: n- octanol/water	: No data available	
	Auto-ignition temperature	: No data available	
	Decomposition temperature	: No data available	
	Viscosity Viscosity, dynamic	: No data available	
	Viscosity, kinematic	: 100 mm2/s (40 °C)	
	Explosive properties	: Not explosive	
	Oxidizing properties	: No data available	
	Sublimation point	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	:

Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



PS-300

sion	Revision Date: 27.03.2023		e of last issue: - e of first issue: 27.03.2023	Print Date: 27.03.2023
Com	ponents:			
Distil	lates (petroleum), I	nydrotre	eated heavy paraffinic:	
	e oral toxicity	-	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes	
Acute	inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mix inhalation toxicity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402	2
Benz	enamine, N-phenyl	-, reacti	on products with 2,4,4-trimethylp	entene:
	e oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	
Acute	e dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mix toxicity	
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	:	This information is not available.	
Com	ponents:			
Distil	lates (petroleum), I	nydrotre	eated heavy paraffinic:	
Speci		:	Rabbit	
	ssment	:	No skin irritation	
Methe		:	OECD Test Guideline 404	
Resu GLP	IL	:	No skin irritation	
GLP		•	yes	
Benz	enamine, N-phenyl	-, reacti	on products with 2,4,4-trimethylp	entene:
Speci	ies	:	Rabbit	
	ssment	:	No skin irritation	
Methe	od	:	OECD Test Guideline 404	
Resu	•		No skin irritation	



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



sion	Revision Date: 27.03.2023	Date of last issue: - Date of first issue: 27.03.2023	Print Date: 27.03.2023
Serio	ous eye damage/eye	irritation	
Prod	uct:		
Rema	arks	: This information is not available.	
<u>Com</u>	ponents:		
Distil	llates (petroleum), h	ydrotreated heavy paraffinic:	
Spec	ies	: Rabbit	
Resu	lt	: No eye irritation	
	ssment	: No eye irritation	
Metho	od	: OECD Test Guideline 405	
GLP		: yes	
Benz	enamine, N-phenyl	-, reaction products with 2,4,4-trimethyl	lpentene:
Speci		: Rabbit	
Resu	lt	: No eye irritation	
	ssment	: No eye irritation	
Methe	od	: OECD Test Guideline 405	
Resp	iratory or skin sens	sitisation	
Prod			
<u>Prod</u> Rema		: This information is not available.	
Rema		: This information is not available.	
Rema	arks ponents:	: This information is not available.	
Rema	arks ponents: llates (petroleum), h		
Rema Com Distil Speci Asses	arks ponents: Ilates (petroleum), h ies ssment	nydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation	Ъ.
Rema Com Distil Speci	arks ponents: Ilates (petroleum), h ies ssment	hydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406	
Rema Com Distil Speci Asses Metho Resu	arks ponents: Ilates (petroleum), h ies ssment od	hydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406 : Does not cause skin sensitisation	
Rema Com Distil Speci Asses Metho	arks ponents: Ilates (petroleum), h ies ssment od	hydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406	
Rema Com Distil Speci Asses Metho Resu GLP	arks ponents: I lates (petroleum), h ies ssment od It	hydrotreated heavy paraffinic: : Guinea pig : Does not cause skin sensitisation : OECD Test Guideline 406 : Does not cause skin sensitisation	۱.
Rema Com Distil Speci Asses Metho Resu GLP	arks ponents: Ilates (petroleum), h ies ssment od It	 bydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes 	۱.
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci	arks ponents: Ilates (petroleum), h ies ssment od It	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes yes 	n. Ipentene:
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci Asses Metho	arks ponents: Ilates (petroleum), h ies ssment od It renamine, N-phenyl- ies ssment od	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes reaction products with 2,4,4-trimethyle Guinea pig Did not cause sensitisation on late OECD Test Guideline 406 	n. I pentene: poratory animals.
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci Asses	arks ponents: Ilates (petroleum), h ies ssment od It renamine, N-phenyl- ies ssment od	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes F, reaction products with 2,4,4-trimethyl Guinea pig Did not cause sensitisation on lab 	n. I pentene: poratory animals.
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci Asses Metho Resu	arks ponents: Ilates (petroleum), h ies ssment od It renamine, N-phenyl- ies ssment od	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes reaction products with 2,4,4-trimethyle Guinea pig Did not cause sensitisation on late OECD Test Guideline 406 	n. I pentene: poratory animals.
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci Asses Metho Resu	arks ponents: Ilates (petroleum), h ies ssment od It eenamine, N-phenyl- ies ssment od It n cell mutagenicity	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes reaction products with 2,4,4-trimethyle Guinea pig Did not cause sensitisation on late OECD Test Guideline 406 	n. I pentene: poratory animals.
Rema Com Distil Speci Asses Metho Resu GLP Benz Speci Asses Metho Resu Germ Prod	arks ponents: Ilates (petroleum), h ies ssment od It eenamine, N-phenyl- ies ssment od It n cell mutagenicity	 Aydrotreated heavy paraffinic: Guinea pig Does not cause skin sensitisation OECD Test Guideline 406 Does not cause skin sensitisation yes reaction products with 2,4,4-trimethyle Guinea pig Did not cause sensitisation on late OECD Test Guideline 406 	n. I pentene: poratory animals.



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



rsion	Revision Date:	Date of last issue:	_	Print Date:
)	27.03.2023	Date of first issue:		27.03.2023
Carci	inogenicity			
<u>Prod</u>	uct:			
Rema	arks	: No data availa	able	
<u>Com</u>	ponents:			
Distil	llates (petroleum), h	/drotreated heavy p	araffinic:	
Carci	nogenicity - ssment		le as a human carciı	nogen.
Repr	oductive toxicity			
<u>Prod</u>	uct:			
Effec	ts on fertility	: Remarks: No	data available	
	ts on foetal opment	: Remarks: No	data available	
Com	ponents:			
Distil	lates (petroleum), h	drotreated heavy p	araffinic:	
	oductive toxicity - ssment	: - Fertility -		
A336	SSITEIR	No toxicity to	reproduction	
Benz	enamine, N-phenyl-	reaction products w	vith 2,4,4-trimethyl	pentene:
	oductive toxicity -	: - Fertility -		
Assessment			ce of adverse effects I on animal experime	s on sexual function a ents.
Repe	ated dose toxicity			
<u>Prod</u>	<u>uct:</u>			
Rema	arks	: This informati	on is not available.	
Aspi	ration toxicity			
Prod				
This i	nformation is not ava	lable.		
Com	ponents:			



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-3	300			
Versi 1.0	ion Revision Date: 27.03.2023		e of last issue: - e of first issue: 27.03.2023	Print Date: 27.03.2023
	Further information			
	Product:			
	Remarks	:	Information given is based on data the toxicology of similar products.	a on the components and
SEC	TION 12. ECOLOGICAL IN	FORM	I ATION	
	Ecotoxicity			
	Product:			
	Toxicity to fish	:	Remarks: Harmful to aquatic organ adverse effects in the aquatic envi	
	Toxicity to daphnia and othe aquatic invertebrates	er :	Remarks: No data available	
	Toxicity to algae/aquatic plants	:	Remarks: No data available	
	Toxicity to microorganisms	:	Remarks: No data available	
	Components:			
	Distillates (petroleum), hy	drotro	eated heavy paraffinic:	
	Toxicity to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l aquatic invertebrates Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes

GLP: yes

Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 10 mg/l
aquatic invertebrates		Exposure time: 21 d
(Chronic toxicity)		Test Type: semi-static test
		Method: OECD Test Guideline 211
		GLP: yes



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



ersion 0	Revision Date: 27.03.2023		e of last issue: - e of first issue: 27.03.2023	Print Date: 27.03.2023
0	21.03.2023	Dat	e of first issue. 27.05.2025	21.03.2023
		eact	ion products with 2,4,4-trimethyl	
Toxic	ity to fish	:	LC50 (Danio rerio (zebra fish)): > Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	-
	ity to daphnia and other tic invertebrates	r :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20.	
Toxic plants	tity to algae/aquatic s	:	EC50 (Desmodesmus subspicatus Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
Persi	istence and degradabi	lity		
Prod	uct:			
Biode	egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Distil	llates (petroleum), hyd	lrotr	eated heavy paraffinic:	
Biode	egradability	:	aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 30	1B
	e enamine, N-phenyl-, r e egradability	eact	GLP: yes ion products with 2,4,4-trimethylp aerobic	oentene:
			Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 30	1B



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



sion			e of last issue: -	Print Date:
	27.03.2023	Dat	e of first issue: 27.03.2023	27.03.2023
			GLP: yes	
Bioa	ccumulative potential			
<u>Prod</u>	uct:			
	cumulation	:	Remarks: This mixture contains no be persistent, bioaccumulating and This mixture contains no substance persistent and very bioaccumulatin	I toxic (PBT). e considered to be very
Com	ponents:			
		rotr	eated heavy paraffinic:	
	ion coefficient: n- ol/water	:	log Pow: > 2	
Benz	enamine, N-phenyl-, re	act	ion products with 2,4,4-trimethylp	entene:
	ion coefficient: n- ol/water	:	log Pow: > 5	
Mobi	lity in soil			
<u>Prod</u>	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among onmental compartments	:	Remarks: No data available	
Othe	r adverse effects			
Prod	uct:			
	ional ecological nation	:	Harmful to aquatic life with long las	ting effects.
Com	ponents:			
			eated heavy paraffinic:	
Distil	Its of PBT and vPvB	:	Non-classified vPvB substance No	n-classified PBT substa
Resu	ssment			

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-300			
Version 1.0	Revision Date: 27.03.2023	Date of last issue: - Date of first issue: 27.03.2023	Print Date: 27.03.2023
Conta	aminated packaging	 courses or the soil. Do not dispose of with domestic re Dispose of as hazardous waste in national regulations. Packaging that is not properly em the unused product. Dispose of waste product or used local regulations. 	compliance with local and ptied must be disposed of as

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legisla mixture	atio	n specific for the substance of
Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.	:	Not applicable
International Regulations		
Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable



or

according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-300

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	27.03.2023	Date of first issue: 27.03.2023	27.03.2023

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH NOM-010-STPS-2014	USA. ACGIH Threshold Limit Values (TLV) Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA NOM-010-STPS-2014 / VLE- PPT	8-hour, time-weighted average Time weighted average limit value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States): UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date

: 27.03.2023



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



PS-300

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	27.03.2023	Date of first issue: 27.03.2023	27.03.2023

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

