According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Pr	oduct identifier		
Р	roduct name	:	SYNGEAR SH-1032
А	rticle-No.	:	340455
1.2 Re	elevant identified uses of the	e si	ubstance or mixture and uses advised against
-	lse of the ubstance/Mixture	:	Lubricating oil
	ecommended restrictions n use	:	Restricted to professional users.
1.3 De	etails of the supplier of the s	safe	ety data sheet
С	Company	:	Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 USA Phone: +1 903 534-8021 Fax: +1 903 581-4376 32 Industrial Drive Londonderry, NH 03053 USA Phone: +1 603 647-4104 Fax: +1 603 647-4106
	-mail address of person esponsible for the SDS	:	mcm@us.kluber.com Material Compliance Management
Ν	lational contact	:	
1.4 En	nergency telephone numbe	r	
	mergency telephone umber	:	+49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Reaction products of 2,5-dimercapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide; Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Synthetic hydrocarbon oil ester oil

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8 265-158-7 649-468-00-3	Asp. Tox.1; H304	Note L	>= 1 - < 10
Reaction products of 2,5-dimercapto-1,3,4- thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide	948-020-7	Acute Tox.4; H332 Skin Irrit.2; H315 Skin Sens.1; H317 Aquatic Chronic4; H413		>= 0.1 - < 0.25



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision D		ast issue: -	Print Date:
1.0	05.06.2023		irst issue: 05.06.2023	05.06.2023
Polysulfid dodecyl	es, di-tert-	68425-15-0 270-335-7	Skin Sens.1B; H317	>= 0.1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.
4.2 Most important sympto	oms and effects, both acute and delayed
Symptoms	: Allergic appearance
Risks	: May cause an allergic skin reaction.
4.3 Indication of any imme	diate medical attention and special treatment needed
Treatment	: The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion	: Carbon oxides	
products	Nitrogen oxides (NOx	()
•	Sulphur oxides	í

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

on reisonal predations, proteot		equipment and emergency procedures
Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible
		absorbent material, (e.g. sand, earth, diatomaceous earth,
		vermiculite) and place in container for disposal according to
		local / national regulations (see section 13).

cannot be contained.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not repack. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s)	
Specific use(s) :	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2.7 mg/m3
	Workers	Inhalation	Long-term local effects	5.6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
Reaction products of 2,5-dimercapto-1,3,4- thiadiazole, sodium salt, with 1-octanethiol and hydrogen peroxide	Workers	Inhalation	Long-term systemic effects	5.43 mg/m3
	Workers	Dermal	Long-term systemic effects	1.54 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	Oral	9.33 mg/kg

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye/face protection :		Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type A-P



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:	
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023	
Proto	ctivo mogeuros	. The type of protective equipment	must be selected according	

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	No data available
Menting point/range	·	NO Gala available
Boiling point/boiling range	:	No data available
Flash point	:	>= 200 °C Method: ISO 2592, open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.870 (20 °C) Reference substance: Water The value is calculated
Density	:	0.87 g/cm3 (20 °C)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version Revision Date: 1.0 05.06.2023	Date of last issue: - Date of first issue: 05.06.2023	Print Date: 05.06.2023
Bulk density	: No data available	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvent	s : No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 320 mm2/s (40 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: No data available	
9.2 Other information		
Sublimation point	: No data available	
Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially mentioned.				
10.2 Chemical stability Stable under normal conditions				
10.3 Possibility of hazardous reac	tio	ns		
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.		
10.4 Conditions to avoid Conditions to avoid	:	No conditions to be specially mentioned.		
10.5 Incompatible materials Materials to avoid	:	No materials to be especially mentioned.		



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
Distillates (petroleum), hydr	otr	eated light paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes
Reaction products of 2,5-din hydrogen peroxide:	me	rcapto-1,3,4-thiadiazole, sodium salt, with 1-octanethiol and
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 3.08 mg/l

Acute inhalation toxicity :	LC50 (Rat): 3.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rabbit): > 2,000 mg/kg
Polysulfides, di-tert-dodecyl:	

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

NGEP	AR 30-1032			
sion	Revision Date: 05.06.2023		e of last issue: - e of first issue: 05.06.2023	Print Date: 05.06.2023
Acute	dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline Assessment: The substance or toxicity	
Skin d	corrosion/irritation			
Produ	ict:			
Rema			This information is not available	
Rema		•		
<u>Comp</u>	oonents:			
		nydrotr	eated light paraffinic; Baseoil -	– unspecified:
Specie	es sment	:	Rabbit No skin irritation	
Result		:	No skin irritation	
GLP	L .	:	yes	
	ion products of 2,5 gen peroxide:	5-dimer	capto-1,3,4-thiadiazole, sodiun	n salt, with 1-octanethiol and
Specie		:	Rabbit	
	sment	:	Irritating to skin.	
Result	t	:	Irritating to skin.	
Polys	ulfides, di-tert-dod	ecyl:		
Specie		:	Rabbit	
Result	t	:	Mild skin irritation	
Serio	us eye damage/eye	e irritati	ion	
<u>Produ</u>				
Rema	rks	:	This information is not available).
<u>Comp</u>	onents:			
Distill	ates (petroleum), h	nydrotr	eated light paraffinic; Baseoil -	– unspecified:
Specie		:	Rabbit	
•	sure time	:	48 h	
Asses Metho	sment	:	No eye irritation OECD Test Guideline 405	
Result			No eye irritation	
GLP		:	yes	
	ion products of 2,5 gen peroxide:	5-dimer	capto-1,3,4-thiadiazole, sodiun	n salt, with 1-octanethiol and
Specie			Rabbit	
•	sment	:	No eye irritation	
			10 / 18	a brand of

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



YNGE	AR SH-1032			
ersion D	Revision Date: 05.06.2023		Date of last issue: -PrintDate of first issue: 05.06.202305.0	
Resu	lt	: 1	No eye irritation	
Resp	iratory or skin sens	itisation		
Prod	uct:			
Rema	arks	: -	This information is not available.	
Com	ponents:			
	u //	•	ted light paraffinic; Baseoil –	- unspecified:
Test			Buehler Test	
Spec Asse	ssment		Guinea pig Did not cause sensitisation on la	boratory animals.
Meth	od	: (DECD Test Guideline 406	
Resu GLP	lt		Did not cause sensitisation on la no	boratory animals.
hydr o Spec	ogen peroxide: ies ssment	: (apto-1,3,4-thiadiazole, sodium Guinea pig May cause sensitisation by skin May cause sensitisation by skin	contact.
Polys	sulfides, di-tert-dod	ecyl:		
Asse: Resu	ssment It		The product is a skin sensitiser, The product is a skin sensitiser,	
Germ	n cell mutagenicity			
Prod				
Geno	otoxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	: 1	Remarks: No data available	
Com	ponents:			
Distil	llates (petroleum), h	ydrotrea	ited light paraffinic; Baseoil –	- unspecified:
	n cell mutagenicity- ssment		Tests on bacterial or mammaliar nutagenic effects.	a cell cultures did not show
Carci	inogenicity			
Prod	uct:			
Rema		: 1	No data available	
Rema	arks	: 1	No data available	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

NGE/	AR SH-1032		
sion	Revision Date: 05.06.2023	Date of last issue: - Date of first issue: 05.06.2023	Print Date: 05.06.2023
<u>Com</u>	oonents:		
		ydrotreated light paraffinic; Base	•
	nogenicity - ssment	: No evidence of carcinogen	icity in animal studies.
Repro	oductive toxicity		
Produ	uct:		
Effect	ts on fertility	: Remarks: No data availabl	e
	ts on foetal opment	: Remarks: No data availabl	e
<u>Com</u>	oonents:		
Distil	lates (petroleum), h	ydrotreated light paraffinic; Base	eoil — unspecified:
	oductive toxicity -	: - Fertility -	
Assessment	No toxicity to reproduction - Teratogenicity -		
		No effects on or via lactation	on
STOT	- single exposure		
Produ	uct:		
Rema	arks	: No data available	
STOT	- repeated exposu	e	
Produ	uct:		
Rema	arks	: No data available	
Repe	ated dose toxicity		
<u>Produ</u>			
Rema	arks	: This information is not avail	ilable.
Aspir	ation toxicity		
Produ			
This i	nformation is not ava	lable.	
Com	oonents:		

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
12.2 Persistence and degradabili	ity	
Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation	: Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

12.5 Results of PBT and vPvB assessment

<u>Product:</u> Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse	effects	
<u>Product:</u> Endocrine disru potential	pting :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecolo information	gical :	No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste	e treatment methods		
Product :		:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
			Waste codes should be assigned by the user based on the application for which the product was used.
Contai	minated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
			The following Waste Codes are only suggestions:
Waste	Code	:	unused product 13 02 06*, synthetic engine, gear and lubricating oils
			uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	2 UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group				
	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards				
	ADR	:	Not regulated as a dangerous good	
	RID	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
14.6 Special precautions for user Not applicable				
14.7 Maritime transport in bulk according to IMO instruments				
	Remarks	:	Not applicable for product as supplied.	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV) (UK. REACH Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation (GB PIC)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use o explosives precursors	f:	Not applicable
		4 November 2010 on industrial ution prevention and control)
15.2 Chemical safety assessment		

This information is not available.

SECTION 16: Other information

Full text of R-Phrases			
Note L :		The harmonised classification as a carcinogen applies unle it can be shown that the substance contains less than 3 % dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricatin base oils and asphaltene free petroleum fractions - Dimeth sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be perform also for that hazard class.	
Full text of H-Statements			
H304 H315	:	May be fatal if swallowed and enters airways. Causes skin irritation.	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version 1.0	Revision Date: 05.06.2023	Date of last issue: - Date of first issue: 05.06.2023	Print Date: 05.06.2023
H317 H332 H413	2	: May cause an allergic skin rea : Harmful if inhaled. : May cause long lasting harmfu	
Full t	text of other abbrev	iations	
Note	L	: The harmonised classification it can be shown that the subst dimethyl sulphoxide extract as	ance contains less than 3 % of

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials: bw - Body weight: CLP - Classification Labelling Packaging Regulation: Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent. Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



SYNGEAR SH-1032

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	05.06.2023	Date of first issue: 05.06.2023	05.06.2023

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

