

## SynGear PS FG-460

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

### SECTION 1. IDENTIFICATION

Product name : SynGear PS FG-460

Article-No. : 340242

#### Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP  
9010 County Road 2120  
Tyler, Texas 75707  
USA  
Phone: +1 903 534 8021  
Fax: +1 903 581 4376

32 Industrial Drive  
Londonderry, NH 03053  
USA  
Phone: +1 603 647 4104  
Fax: +1 603 647 4106

E-mail address of person responsible for the SDS : mcm@us.kluber.com

Emergency telephone number : +1 517 545 7070 NCEC

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Warning

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

Hazard statements : Suspected of damaging fertility.

Precautionary statements : **Prevention:**  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
Store locked up.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Mineral oil.  
Polymer

**Components**

| Chemical name   | CAS-No.    | Concentration (% w/w)             |
|---|------------|-----------------------------------|
| White mineral oil (petroleum)   | 8042-47-5  | Trade secret ( $\geq 60 - < 80$ ) |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 68411-46-1 | Trade secret ( $\geq 0.1 - < 1$ ) |

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

- If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No information available. None known.
- Notes to physician : No information available.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

| Components | CAS-No. | Value type | Control | Basis |
|------------|---------|------------|---------|-------|
|------------|---------|------------|---------|-------|

**SynGear PS FG-460**

Version 3.0      Revision Date: 03/20/2024      Date of last issue: 03/18/2024      Print Date: 05/16/2024  
 Date of first issue: 10/18/2021

|                               |           | (Form of exposure)                 | parameters / Permissible concentration |                        |
|-------------------------------|-----------|------------------------------------|--|------------------------|
| White mineral oil (petroleum) | 8042-47-5 | TWA (Inhalable particulate matter) | 5 mg/m3                                | ACGIH (2013-03-01)     |
|                               |           | TWA (Mist)                         | 5 mg/m3                                | OSHA Z-1 (2018-03-15)  |
|                               |           | TWA (Mist)                         | 5 mg/m3                                | NIOSH REL (2019-10-04) |
|                               |           | ST (Mist)                          | 10 mg/m3                               | NIOSH REL (2019-10-04) |

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Nitrile rubber  
 Break through time : > 10 min  
 Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point :  $\geq 410$  °F / 210 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure :  $< 0.001$  hPa (68 °F / 20 °C)

Relative vapour density : No data available

Relative density : 0.873 (68 °F / 20 °C)  
Reference substance: Water  
The value is calculated

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 480 mm<sup>2</sup>/s (104 °F / 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

**SynGear PS FG-460**

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.



**SynGear PS FG-460**

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

**Components:**

**White mineral oil (petroleum):**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**White mineral oil (petroleum):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

**SynGear PS FG-460**

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT - single exposure**

**Product:**

Remarks : No data available

**Components:**

**White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Product:**

Remarks : No data available

**Components:**

**White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

NOAEL : 1,800 mg/kg  
Exposure time : 90 d

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**White mineral oil (petroleum):**

No aspiration toxicity classification

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :  
Remarks: No data available

Toxicity to algae/aquatic plants :  
Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 1,000 mg/l  
Exposure time: 21 d

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h

**SynGear PS FG-460**

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher.  
Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:**

**White mineral oil (petroleum):**

Partition coefficient: n-octanol/water : Pow: > 6

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Partition coefficient: n-octanol/water : log Pow: 7.11

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available  
Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No information on ecology is available.

**Components:**

**White mineral oil (petroleum):**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION**

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity

**SynGear PS FG-460**

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>03/20/2024 | Date of last issue: 03/18/2024<br>Date of first issue: 10/18/2021 | Print Date:<br>05/16/2024 |
|----------------|------------------------------|---|---------------------------|

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).  
This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**

**Further information**

**Full text of other abbreviations**

|                 |   |  |
|-----------------|---|--|
| ACGIH           | : | USA. ACGIH Threshold Limit Values (TLV)  |
| NIOSH REL       | : | USA. NIOSH Recommended Exposure Limits   |
| OSHA Z-1        | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1<br>Limits for Air Contaminants          |
| ACGIH / TWA     | : | 8-hour, time-weighted average  |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour<br>workday during a 40-hour workweek |
| NIOSH REL / ST  | : | STEL - 15-minute TWA exposure that should not be exceeded<br>at any time during a workday    |
| OSHA Z-1 / TWA  | : | 8-hour time weighted average   |

AiIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing



**SynGear PS FG-460**

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 03/18/2024  | Print Date: |
| 3.0     | 03/20/2024     | Date of first issue: 10/18/2021 | 05/16/2024  |

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/20/2024

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.