TM-10

according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



1101 10			
Version 1.0	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023
SECTIO	N 1. PRODUCT AND C	OMPANY IDENTIFICATION	
Pro	duct name	: TM-10	
Arti	cle-No.	: 340177	
Ма	nufacturer or supplier's	details	
Co	mpany name of supplier	 Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 USA Phone: +1 903 534-8021 Fax: +1 903 581-4376 32 Industrial Drive Londonderry, NH 03053 USA 	
		Phone: +1 603 647-4104 Fax: +1 603 647-4106	
	nail address of person ponsible for the SDS	: mcm@us.kluber.com Material Compliance Management	
	ergency telephone nber	: +52 442 2295708 (24hrs)	
	commended use of the commended use	chemical and restrictions on use : Lubricating oil	

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Reproductive toxicity		Category 2
Short-term (acute) aquatic		Category 3
hazard Long-term (chronic) aquatic	:	Category 3
hazard		

GHS label elements



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



M-10			
ersion 0	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023
Haza	rd pictograms		
Signa	al word	: Warning	
Hazard statements		: H361f Suspected of damaging H412 Harmful to aquatic life wi	
Preca	autionary statements	and understood. P273 Avoid release to the envi	fety precautions have been read
		Response: P308 + P313 IF exposed or co attention.	ncerned: Get medical advice/
		Storage: P405 Store locked up.	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture

Chemical nature : Mineral oil. ester oil

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 50 -< 70
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	>= 30 -< 50
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 0.25 -< 1

SECTION 4. FIRST AID MEASURES



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



TM-10

Version 1.0	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
lf inh	aled	:	Obtain medical attention. Remove person to fresh air. If signs/ medical attention. Keep patient warm and at rest. If unconscious, place in recovery po advice. Keep respiratory tract clear. If breathing is irregular or stopped, a respiration.	sition and seek medical
In ca	se of skin contact	:	Take off all contaminated clothing im Get medical attention immediately if persists. Wash clothing before reuse. Thoroughly clean shoes before reus Wash off immediately with plenty of	irritation develops and
In ca	se of eye contact	:	Rinse immediately with plenty of war for at least 10 minutes. If eye irritation persists, consult a sp	
lf sw	allowed	:	Move the victim to fresh air. If unconscious, place in recovery po advice. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Never give anything by mouth to an	
	t important symptoms effects, both acute and yed	:	No information available. None known.	
Note	s to physician	:	No information available.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



TM-10)			
Versior 1.0	n Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
	ecial protective equipment firefighters	t :	In the event of fire, wear self-cont Use personal protective equipmen Exposure to decomposition produ health.	nt.
SECTIO	ON 6. ACCIDENTAL RELI	EAS	E MEASURES	
pro	ersonal precautions, otective equipment and nergency procedures	:	Evacuate personnel to safe areas Use personal protective equipment Ensure adequate ventilation. Do not breathe vapours or spray manual Refer to protective measures lister	nt. mist.
En	vironmental precautions	:	Do not allow contact with soil, sur Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.
	ethods and materials for ntainment and cleaning up	:	Contain spillage, and then collect absorbent material. (e.g. sand, ea	

containment and cleaning up wermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



Version	Revision Date:	Date of last issue: -	Print Date:
1.0	31.08.2023	Date of first issue: 31.08.2023	01.09.2023

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	VLE-PPT (Mist)	5 mg/m3	NOM-010- STPS-2014 (2014-06-19)
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	VLE-PPT (Mist)	5 mg/m3	NOM-010- STPS-2014 (2014-06-19)
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type A-P
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



TM-10			
Version 1.0	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023
Prote	ctive measures	the specific work-place.The type of protective equipment to the concentration and amount of the concentration amount of the concentration and amount of the concentration amount of the c	
		at the specific workplace.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	227 °C
		Method: ASTM D 92
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.864 (20 °C)



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



TM-10				
Version 1.0	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
			Reference substance: Water The value is calculated	
Bul	k density	:	No data available	
	ubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	3 :	No data available	
	tition coefficient: n- anol/water	:	No data available	
Aut	o-ignition temperature	:	No data available	
De	composition temperature	:	No data available	
	cosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	32 mm2/s (40 °C)	
Exp	plosive properties	:	Not explosive	
	dizing properties	:	No data available	
Sul	olimation point	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



ersion 0. Revision Date: 31.08.2023 Date of last issue: - Date of first issue: 31.08.2023 Print Date 01.09.2023 ECTION 11. TOXICOLOGICAL INFORMATION Acute toxicity Product: Product: Acute oral toxicity Pression Acute toxicity Product: Product: Acute oral toxicity Remarks: This information is not available. Acute inhalation toxicity Remarks: This information is not available. Acute dermal toxicity Remarks: This information is not available. Components: Distillates (petroleum), hydrotreated heavy paraffinic: Acute oral toxicity E LD50 (Rat):> 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity E LC50 (Rat):> 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity E LD50 (Rat):> 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute oral toxicity E LD50 (Rat):> 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity E LD50 (Rat):> 5.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity E LD50 (Rat):> 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyL, reaction products with 2,4,4-trimethylpentene: inhalation toxicity LD50 (Rat):> 5,	Г М-10			
Acute toxicity Emarks: This information is not available. Acute oral toxicity Remarks: This information is not available. Acute inhalation toxicity Remarks: This information is not available. Acute dermal toxicity Remarks: This information is not available. Acute dermal toxicity Remarks: This information is not available. Distillates (petroleum), hydrotreated heavy paraffinic: Acute oral toxicity LD50 (Rat): > 5,000 mg/kg. Acute oral toxicity LD50 (Rat): > 5,53 mg/t Acute inhalation toxicity CLS0 (Rat): > 5,53 mg/t Acute dermal toxicity LD50 (Rat): > 5,000 mg/kg. Method: OECD Test Guideline 403. Acute dermal toxicity Acute dermal toxicity LD50 (Rat): > 5,000 mg/kg. Method: OECD Test Guideline 403. Acute oral toxicity Acute oral toxicity LD50 (Rat): > 5,000 mg/kg. Method: OECD Test Guideline 403. Acute oral toxicity Acute oral toxicity LO50 (Rat): > 5,53 mg/t Acute oral toxicity LO50 (Rat): > 5,500 mg/kg. Method: OECD Test Guideline 403. Assessment: The substance or mixture has no acute Acute oral toxicity LO50 (Rat): > 5,500 mg/kg. Method: OECD Test Guideline 403. Ass				
Product:Acute oral toxicity:Remarks: This information is not available.Acute inhalation toxicity:Remarks: This information is not available.Acute dermal toxicity:Remarks: This information is not available.Distillates (petroleum), hydrotreated heavy paraffinic:Acute oral toxicity:Acute oral toxicity:LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yesAcute inhalation toxicity:LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity:LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity:LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402Distillates (petroleum), hydrotreated light paraffinic: Method: OECD Test Guideline 403 Method: OECD Test Guideline 403 M	ECTION	11. TOXICOLOGICA		
Acute oral toxicity : Remarks: This information is not available. Acute inhalation toxicity : Remarks: This information is not available. Acute dermal toxicity : Remarks: This information is not available. Components: Distillates (petroleum), hydrotreated heavy paraffinic: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 Distillates (petroleum), hydrotreated light paraffinic: . Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute oral toxicity : LD50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabit): > 5,000 mg/kg Method: OECD Test Guideline 403 CBCP: yes <td>Acut</td> <td>e toxicity</td> <td></td> <td></td>	Acut	e toxicity		
Acute dermal toxicity : Remarks: This information is not available. Components: Distillates (petroleum), hydrotreated heavy paraffinic: Acute oral toxicity ::::::::::::::::::::::::::::::::::::			: Remarks: This information is	not available.
Summer is a straight of the str	Acute	e inhalation toxicity	: Remarks: This information is	not available.
Distillates (petroleum), hydrotreated heavy paraffinic: Acute oral toxicity	Acute	e dermal toxicity	: Remarks: This information is	not available.
Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Distillates (petroleum), hydrotreated light paraffinic: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LD50 (Rat): > 5,500 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	<u>Com</u>	ponents:		
Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Distillates (petroleum), hydrotreated light paraffinic: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Distil	llates (petroleum), h	ydrotreated heavy paraffinic:	
Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402Distillates (petroleum), hydrotreated light paraffinic: Acute oral toxicity:LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yesAcute inhalation toxicity:LD50 (Rat): > 5,530 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity:LD50 (Rat): > 5,530 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yesBenzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity:LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e oral toxicity	Method: OECD Test Guideline	e 401
Method: OECD Test Guideline 402 Distillates (petroleum), hydrotreated light paraffinic: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e inhalation toxicity	Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline Assessment: The substance of	
Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e dermal toxicity		
Method: OECD Test Guideline 401 GLP: yesAcute inhalation toxicity: LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yesBenzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes	Distil	llates (petroleum), h	ydrotreated light paraffinic:	
Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e oral toxicity	Method: OECD Test Guideline	e 401
Method: OECD Test Guideline 402 GLP: yes Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e inhalation toxicity	Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline Assessment: The substance of	
Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Acute	e dermal toxicity	Method: OECD Test Guideline	
Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401	Benz	enamine, N-phenvl-	, reaction products with 2,4,4-trime	thylpentene:
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg			: LD50 (Rat): > 5,000 mg/kg	
	Acute	e dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	





TM-10				
Version 1.0	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
			Method: OECD Test Guideline 402 Assessment: The substance or mixture toxicity	has no acute dermal
Ski	n corrosion/irritation			
Pro	duct:			
	narks	:	This information is not available.	
<u>Cor</u>	nponents:			
Dist	tillates (petroleum), hy	drotr	eated heavy paraffinic:	
Spe	cies	:	Rabbit	
	essment	:	No skin irritation	
	hod	:	OECD Test Guideline 404	
Res		:	No skin irritation	
GLF		:	yes	
Dist	tillates (petroleum), hy	drotr	eated light paraffinic:	
	cies	:	Rabbit	
	essment	:	No skin irritation	
Res		:	No skin irritation	
GLF	0	:	yes	
Ber	zenamine, N-phenyl-,	react	ion products with 2,4,4-trimethylpente	ene:
	cies		Rabbit	
	essment		No skin irritation	
Met		:	OECD Test Guideline 404	
Res	sult	:	No skin irritation	
Ser	ious eye damage/eye i	rritati	ion	
Pro	duct:			
Ren	narks	:	This information is not available.	
<u>Cor</u>	nponents:			
Dist	tillates (petroleum), hy	drotr	eated heavy paraffinic:	
Spe	cies	:	Rabbit	
Res	sult	:	No eye irritation	
Ass	essment	:	No eye irritation	
	hod	:	OECD Test Guideline 405	
GLF	C	:	yes	
Dist	tillates (petroleum), hy	drotr	eated light paraffinic:	
Spe	cies	:	Rabbit	
Res		:	No eye irritation	



according to Official Mexican STANDARD NOM-018-STPS-2015 - $\ensuremath{\textbf{MX}}$



TM-10

sion	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023
	uro timo	. 40 h	
	sure time	: 48 h	
	sment	: No eye irritation : OECD Test Guideline 405	
Metho GLP	Ju		
GLP		: yes	
Benze	enamine, N-pheny	-, reaction products with 2,4,4-trin	nethylpentene:
Specie		: Rabbit	
Resul	t	: No eye irritation	
	sment	: No eye irritation	
Metho	od	: OECD Test Guideline 405	
Respi	iratory or skin sen	sitisation	
<u>Produ</u>	<u>ict:</u>		
Rema	ırks	: This information is not avail	able.
<u>Comr</u>	oonents:		
Distill	lates (petroleum),	ydrotreated heavy paraffinic:	
Specie	es	: Guinea pig	
Asses	sment	: Does not cause skin sensiti	sation.
Metho	bd	: OECD Test Guideline 406	
Resul	t	: Does not cause skin sensiti	sation.
GLP		: yes	
Distil	lates (petroleum),	ydrotreated light paraffinic:	
Test T	Type	: Buehler Test	
Specie		: Guinea pig	
	sment	: Did not cause sensitisation	on laboratory animals.
Metho	bd	: OECD Test Guideline 406	2
Resul	t	: Did not cause sensitisation	on laboratory animals.
GLP		: no	·
Benze	enamine, N-pheny	-, reaction products with 2,4,4-trin	nethylpentene:
Specie		: Guinea pig	
•	sment	: Did not cause sensitisation	on laboratory animals.
Metho		: OECD Test Guideline 406	······································
Resul	t	: Did not cause sensitisation	on laboratory animals.
Germ	cell mutagenicity		
<u>Produ</u>	<u>uct:</u>		
Genot	toxicity in vitro	: Remarks: No data available	<u>Ş</u>
Geno	toxicity in vivo	: Remarks: No data available)





M-10			
ersion	Revision Date:	Date of last issue: -	Print Date:
0	31.08.2023	Date of first issue: 31.08.2023	01.09.2023
Com	ponents:		
Distil	lates (petroleum), h	ydrotreated light paraffinic:	
	cell mutagenicity -	: Tests on bacterial or mammalian	n cell cultures did not sho
Asses	ssment	mutagenic effects.	
Carci	inogenicity		
Prod	uct:		
Rema	arks	: No data available	
Com	ponents:		
Distil	lates (petroleum), h	ydrotreated heavy paraffinic:	
	nogenicity -	: Not classifiable as a human carc	inogen.
Asses	ssment		
Distil	lates (petroleum), h	ydrotreated light paraffinic:	
	nogenicity - ssment	: No evidence of carcinogenicity ir	n animal studies.
Repr	oductive toxicity		
Prod			
Effec	ts on fertility	: Remarks: No data available	
	ts on foetal opment	: Remarks: No data available	
Com	ponents:		
Distil	lates (petroleum), h	ydrotreated heavy paraffinic:	
•	oductive toxicity -	: - Fertility -	
Asses	ssment	No toxicity to reproduction	
Distil	lates (petroleum), h	ydrotreated light paraffinic:	
Repro	oductive toxicity -	: - Fertility -	
Asses	ssment	No toxicity to reproduction - Teratogenicity -	
		No effects on or via lactation	
_			
		 reaction products with 2,4,4-trimethy 	Ipentene:
-	oductive toxicity - ssment	: - Fertility -	
		Some evidence of adverse effec fertility, based on animal experim	



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



TM-10

VI-10			
ersion)	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023
STOT	- single exposure		
Produ			
Rema		: No data available	
STOT	- repeated exposu	re	
Prod			
Rema	arks	: No data available	
Repe	ated dose toxicity		
Produ	-		
Rema		: This information is not available.	
Aspir	ation toxicity		
Prod			
This i	nformation is not ava	ilable.	
Com	<u>oonents:</u>		
		ydrotreated heavy paraffinic:	
	spiration toxicity class		
		ydrotreated light paraffinic:	
way t	be fatal if swallowed	and enters an ways.	
Furth	er information		
Produ	uct:		
Rema	arks	: Information given is based on data	a on the components and
		the toxicology of similar products.	
CTION	12. ECOLOGICAL I	NFORMATION	
Ecot			
	oxicity		
Produ	uct:		

Toxicity to fish

Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



:



ТМ-10				
Version 1.0	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
	ity to daphnia and othei tic invertebrates	r:	Remarks: No data available	
Toxic plants	ity to algae/aquatic s	:	Remarks: No data available	
Toxic	ity to microorganisms	:	Remarks: No data available	
Com	ponents:			
Distil	lates (petroleum), hyd	Irotro	eated heavy paraffinic:	
	ity to fish		LC50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
	ity to daphnia and other tic invertebrates	r :	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20 GLP: yes	
aquat	ity to daphnia and other tic invertebrates onic toxicity)	r:	NOEC (Daphnia magna (Water fl Exposure time: 21 d Test Type: semi-static test Method: OECD Test Guideline 21 GLP: yes	
Benz	enamine, N-phenyl-, r	eacti	on products with 2,4,4-trimethyl	pentene:
	ity to fish	:	LC50 (Danio rerio (zebra fish)): > Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	100 mg/l
	ity to daphnia and other tic invertebrates	r:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Toxic plants	ity to algae/aquatic S	:	EC50 (Desmodesmus subspicatu Exposure time: 72 h Test Type: static test	
				a brand of





<i>I</i> I-10				
rsion	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
			Method: OECD Test Guideline 201	
Persi	stence and degrada	ability		
<u>Prod</u> e Biode	<u>uct:</u> gradability	:	Remarks: No data available	
	co-chemical vability	:	Remarks: No data available	
Com	ponents:			
Distil	lates (petroleum), h	vdrotr	eated heavy paraffinic:	
	egradability	:	aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	В
Distil	lates (petroleum), h	ydrotr	eated light paraffinic:	
Biode	gradability	:	Result: not rapidly degradable Biodegradation: 31 % Exposure time: 28 d	
Benz	enamine, N-phenyl-	. react	ion products with 2,4,4-trimethylp	entene:
	gradability	:	aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	
Bioad	ccumulative potenti	al		
Prod	uct:			
	cumulation	:	Remarks: This mixture contains no be persistent, bioaccumulating and This mixture contains no substance persistent and very bioaccumulating	toxic (PBT). e considered to be very
				a brand of



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



ersion)	Revision Date: 31.08.2023		e of last issue: - e of first issue: 31.08.2023	Print Date: 01.09.2023
<u>Com</u>	oonents:			
Distil	lates (petroleum), h	ydrotr	eated heavy paraffinic:	
	ion coefficient: n- ol/water	:	log Pow: > 2	
Distil	lates (petroleum), h	ydrotr	eated light paraffinic:	
	ion coefficient: n- ol/water	:	Pow: > 6 Remarks: Information given is bas similar substances.	sed on data obtained from
Benz	enamine, N-phenyl-	, react	ion products with 2,4,4-trimethyl	pentene:
	ion coefficient: n- ol/water	:	log Pow: 7.11	
Mobi	lity in soil			
Prod	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among onmental compartme	: nts	Remarks: No data available	
Othe	r adverse effects			
Prod	uct:			
	onal ecological nation	:	Harmful to aquatic life with long la	asting effects.
<u>Com</u>	oonents:			
Distil	lates (petroleum), h	ydrotr	eated heavy paraffinic:	
	Its of PBT and vPvB ssment	:	Non-classified vPvB substance N	on-classified PBT substan
Distil	lates (petroleum), h	ydrotr	eated light paraffinic:	
	Its of PBT and vPvB	:	Non-classified PBT substance No	on-classified vPvB substan

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



TM-10				
Version 1.0	Revision Date: 31.08.2023	Date of last issue: - Date of first issue: 31.08.2023	Print Date: 01.09.2023	
		Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.		
Contaminated packaging		the unused product.	Dispose of waste product or used containers according to	

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NOM-002-SCT Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture Federal Law for the control of chemical precursors, Not applicable · essential chemical products and machinery for producing capsules, tablets and pills. International Regulations Montreal Protocol ÷ Not applicable Rotterdam Convention (Prior Informed Consent) Not applicable 2 Stockholm Convention (Persistent Organic Pollutants) : Not applicable



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



TM-10

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	31.08.2023	Date of first issue: 31.08.2023	01.09.2023

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting
		the Work Environment - Identification, Assessment and
		Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date

: 31.08.2023



according to Official Mexican STANDARD NOM-018-STPS-2015 - MX



TM-10

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	31.08.2023	Date of first issue: 31.08.2023	01.09.2023

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

